# Contents:

## *Volume 125, Number 1, April 1994*


1 **The three-dimensional architecture of chromatin in situ: Electron tomography reveals fibers composed of a continuously variable zig-zag nucleosomal ribbon.**
R. A. Horowitz, D. A. Agard, J. W. Sedat, and C. L. Woodcock

11 **Chromatin fibers observed in situ in frozen hydrated sections. Native fiber diameter is not correlated with nucleosome repeat length.**
C. L. Woodcock

21 **The nucleus-limited Hsr-omega-n transcript is a polyadenylated RNA with a regulated intranuclear turnover.**
N. C. Hogan, K. L. Traverse, D. E. Sullivan, and M.-L. Pardue

31 **POM152 is an integral protein of the pore membrane domain of the yeast nuclear envelope.**
R. W. Wozniak, G. Blobel, and M. P. Rout

43 **Human mitochondria and mitochondrial genome function as a single dynamic cellular unit.**
J.-I. Hayashi, M. Takemitsu, Y. Goto, and I. Nonaka

51 **Sar1 promotes vesicle budding from the endoplasmic reticulum but not Golgi compartments.**
O. Kuge, C. Dascher, L. Orci, T. Rowe, M. Amherdt, H. Plutner, M. Ravazzola, G. Tanigawa, J. E. Rothman, and W. E. Balch

67 **Receptor-mediated transcytosis of IgA in MDCK cells is via apical recycling endosomes.**
G. Apodaca, L. A. Katz, and K. E. Mostov

87 **How protein hormones reach their target cells. Receptor-mediated transcytosis of hCG through endothelial cells.**
N. Ghinea, M. T. V. Hai, M.-T. Groyer-Picard, and E. Milgrom

99 **A eukaryotic cytosolic chaperonin is associated with a high molecular weight intermediate in the assembly of hepatitis B virus capsid, a multimeric particle.**
J. R. Lingappa, R. L. Martin, M. L. Wong, D. Ganem, W. J. Welch, and V. R. Lingappa

113 **A phosphatidylinositol/phosphatidylcholine transfer protein is required for differentiation of the dimorphic yeast *Yarrowia lipolytica* from the yeast to the mycelial form.**
M. C. Lopez, J.-M. Nicaud, H. B. Skinner, C. Vergnolle, J. C. Kader, V. A. Bankaitis, and C. Gaillardin

129 **Anti-tumor antibody BR96 blocks cell migration and binds to a lysosomal membrane glycoprotein on cell surface microspikes and ruffled membranes.**
J. Garrigues, J. Anderson, K. E. Hellström, and I. Hellström

143 **The *JNM1* gene in the yeast *Saccharomyces cerevisiae* is required for nuclear migration and spindle orientation during the mitotic cell cycle.**
J. N. McMillan and K. Tatchell

159 **IFAP 300 is common to desmosomes and hemidesmosomes and is a possible linker of intermediate filaments to these junctions.**
O. Skalli, J. C. R. Jones, R. Gagescu, and R. D. Goldman

171 **Uroplakins Ia and Ib, two major differentiation products of bladder epithelium, belong to a family of four transmembrane domain (4TM) proteins.**
J. Yu, J.-H. Lin, X.-R. Wu, and T.-T. Sun

183 **Globular and asymmetric acetylcholinesterase in the synaptic basal lamina of skeletal muscle.**
L. Anglister, B. Haesaert, and U. J. McMahan

197 **Suppression of liver cell apoptosis in vitro by the non-genotoxic hepatocarcinogen and peroxisome proliferator nafenopin.**
A. C. Bayly, R. A. Roberts, and C. Dive

205 **Kalinin is more efficient than laminin in promoting adhesion of primary keratinocytes and some other epithelial cells and has a different requirement for integrin receptors.**
P. Rousselle and M. Aumailley

215 **Residues within a conserved amino acid motif of domains 1 and 4 of VCAM-1 are required for binding to VLA-4.**
R. H. Vonderheide, T. F. Tedder, T. A. Springer, and D. E. Staunton

225 **A GDP-bound form of Rab1 inhibits protein export from the endoplasmic reticulum and transport between Golgi compartments.**
C. Nuoffer, H. W. Davidson, J. Matteson, J. Meinkoth, and W. E. Balch

239 **Rab1 and $Ca^{2+}$ are required for the fusion of carrier vesicles mediating endoplasmic reticulum to Golgi transport.**
S. N. Pind, C. Nuoffer, J. M. McCaffery, H. Plutner, H. W. Davidson, M. G. Farquhar, and W. E. Balch

253 **The TGN38 glycoprotein contains two non-overlapping signals that mediate localization to the *trans*-Golgi network.**
S. Ponnambalam, C. Rabouille, J. P. Luzio, T. Nilsson, and G. Warren

269 **COP-coated vesicles are involved in the mitotic fragmentation of Golgi stacks in a cell-free system.**
T. Misteli and G. Warren

283 **Role of three rab5-like GTPases, Ypt51p, Ypt52p, and Ypt53p, in the endocytic and vacuolar protein sorting pathways of yeast.**
B. Singer-Krüger, H. Stenmark, A. Düsterhöft, P. Philippsen, J.-S. Yoo, D. Gallwitz, and M. Zerial

299 **Regulated degradation of HMG-CoA reductase, an integral membrane protein of the endoplasmic reticulum, in yeast.**
R. Y. Hampton and J. Rine

313 **Targeting of the SF/HGF receptor to the basolateral domain of polarized epithelial cells.**
T. Crepaldi, A. L. Pollack, M. Prat, A. Zborek, K. Mostov, and P. M. Comoglio

321 **Characterization of polymer release from the flagellar pocket of *Leishmania mexicana* promastigotes.**
Y.-D. Stierhof, T. Ilg, D. G. Russell, H. Hohenberg, and P. Overath

333 **The requirements for glycosylphosphatidylinositol attachment are similar but not identical in mammalian cells and parasitic protozoa.**
P. Moran and I. W. Caras

345 **Dynamic properties of ankyrin in T lymphocytes: Colocalization with spectrin and protein kinase Cβ.**
C. C. Gregorio, E. A. Repasky, V. M. Fowler, and J. D. Black

359 **Overexpression of human fibroblast caldesmon fragment containing actin-, $Ca^{++}$/calmodulin-, and tropomyosin-binding domains stabilizes endogenous tropomyosin and microfilaments.**
K. S. Warren, J. L.-C. Lin, D. D. Wamboldt, and J. J.-C. Lin

369 ***Drosophila* singed, a fascin homolog, is required for actin bundle formation during oogenesis and bristle extension.**
K. Cant, B. A. Knowles, M. S. Mooseker, and L. Cooley

381 **Ultrastructure of the yeast actin cytoskeleton and its association with the plasma membrane.**
J. M. Mulholland, D. Preuss, A. Moon, A. Wong, D. Drubin, and D. Botstein

393 **Progesterone-dependent expression of keratinocyte growth factor mRNA in stromal cells of the primate endometrium: Keratinocyte growth factor as a progestomedin.**
T. Koji, M. Chedid, J. S. Rubin, O. D. Slayden, K. G. Csaky, S. A. Aaronson, and R. M. Brenner

403 **Apoptosis induced by inhibition of intercellular contact.**
R. C. Bates, A. Buret, D. F. van Helden, M. A. Horton, and G. F. Burns

417 **Differential induction of Pax genes by NGF and BDNF in cerebellar primary cultures.**
C. Kioussi and P. Gruss

427 **Expression of NCAM containing VASE in neurons can account for a developmental loss in their neurite outgrowth response to NCAM in a cellular substratum.**
J. L. Saffell, F. S. Walsh, and P. Doherty

437 **Ep-CAM: A human epithelial antigen is a homophilic cell–cell adhesion molecule.**
S. V. Litvinov, M. P. Velders, H. A. M. Bakker, G. J. Fleuren, and S. O. Warnaar

447 **Contrasting roles for integrin $\beta_1$ and $\beta_5$ cytoplasmic domains in subcellular localization, cell proliferation, and cell migration.**
R. Pasqualini and M. E. Hemler

461 **Membrane proximal cleavage of L-selectin: Identification of the cleavage site and a 6-kD transmembrane peptide fragment of L-selectin.**
J. Kahn, R. H. Ingraham, F. Shirley, G. I. Migaki, and T. K. Kishimoto

471 **Monospecific and common glycoprotein ligands for E- and P-selectin on myeloid cells.**
M. Lenter, A. Levinovitz, S. Isenmann, and D. Vestweber

483 **The distribution of tenascin-X is distinct and often reciprocal to that of tenascin-C.**
K. Matsumoto, Y. Saga, T. Ikemura, T. Sakakura, and R. Chiquet-Ehrismann

495 **BEHAB, a new member of the proteoglycan tandem repeat family of hyaluronan-binding proteins that is restricted to the brain.**
D. M. Jaworski, G. M. Kelly, and S. Hockfield

## *Volume 125, Number 3, May 1994*


*Mini-Review*

511 **Intermediate filaments and disease: Mutations that cripple cell strength.**
E. Fuchs

*Regular Articles*

517 **Chromosome condensation and sister chromatid pairing in budding yeast.**
V. Guacci, E. Hogan, and D. Koshland

531 **CENP-C is required for maintaining proper kinetochore size and for a timely transition to anaphase.**
J. Tomkiel, C. A. Cooke, H. Saitoh, R. L. Bernat, and W. C. Earnshaw

547 **Identification of cytosolic factors required for nuclear location sequence-mediated binding to the nuclear envelope.**
E. J. H. Adam and S. A. Adam

557 **A rab1 mutant affecting guanine nucleotide exchange promotes disassembly of the Golgi apparatus.**
B. S. Wilson, C. Nuoffer, J. L. Meinkoth, M. McCaffery, J. R. Feramisco, W. E. Balch, and M. G. Farquhar

573 **Lysosome biogenesis requires rab9 function and receptor recycling from endosomes to the *trans*-Golgi network.**
M. A. Riederer, T. Soldati, A. D. Shapiro, J. Lin, and S. R. Pfeffer

583 **Expression and polarized targeting of a rab3 isoform in epithelial cells.**
E. Weber, G. Berta, A. Tousson, P. St. John, M. W. Green, U. Gopalokrishnan, T. Jilling, E. J. Sorscher, T. S. Elton, D. R. Abrahamson, and K. L. Kirk

595 **Separation of subcellular compartments containing distinct functional forms of MHC class II.**
Y. Qiu, X. Xu, A. Wandinger-Ness, D. P. Dalke, and S. K. Pierce

607 **Identification of secreted and cytosolic gelsolin in *Drosophila*.**
M. C. Stella, H. Schauerte, K. L. Straub, and M. Leptin

617 **Flagellar adhesion-dependent regulation of *Chlamydomonas* adenylyl cyclase in vitro: A possible role for protein kinases in sexual signaling.**
Y. Zhang and W. J. Snell

625 **DNA tumor virus oncoproteins and retinoblastoma gene mutations share the ability to relieve the cell's requirement for cyclin D1 function in G1.**
J. Lukas, H. Müller, J. Bartkova, D. Spitkovsky, A. A. Kjerulff, P. Jansen-Durr, M. Strauss, and J. Bartek

639 **Distinct intracellular localization of lck and fyn protein tyrosine kinases in human T lymphocytes.**
S. C. Ley, M. Marsh, C. R. Bebbington, K. Proudfoot, and P. Jordan

651 **Cytokine-mediated protein kinase C activation is a signal for lineage determination in bipotential granulocyte macrophage colony-forming cells.**
A. D. Whetton, C. M. Heyworth, S. E. Nicholls, C. A. Evans, J. M. Lord, T. M. Dexter, and P. J. Owen-Lynch

661 **Staurosporine inhibits agrin-induced acetylcholine receptor phosphorylation and aggregation.**
B. G. Wallace

669 **The neuronal chrondroitin sulfate proteoglycan neurocan binds to the neural cell adhesion molecules Ng-CAM/L1/NILE and N-CAM, and inhibits neuronal adhesion and neurite outgrowth.**
D. R. Friedlander, P. Milev, L. Karthikeyan, R. K. Margolis, R. U. Margolis, and M. Grumet

681 **Targeted expression of stromelysin-1 in mammary gland provides evidence for a role of proteinases in branching morphogenesis and the requirement for an intact basement membrane for tissue-specific gene expression.**
C. J. Sympson, R. S. Talhouk, C. M. Alexander, J. R. Chin, S. M. Clift, M. J. Bissell, and Z. Werb

695 **Cell-specific expression of α1(I) collagen-hGH minigenes in transgenic mice.**
D. J. Liska, M. J. Reed, E. H. Sage, and P. Bornstein


---

## *Volume 125, Number 4, May 1994*


705 **Evidence for a dual role for TC4 protein in regulating nuclear structure and cell cycle progression.**
S. Kornbluth, M. Dasso, and J. Newport

721 **ADP ribosylation factor and a 14-kD polypeptide are associated with heparan sulfate–carrying post–*trans*-Golgi network secretory vesicles in rat hepatocytes.**
W. Nickel, L. A. Huber, R. A. Kahn, N. Kipper, A. Barthel, D. Fasshauer, and H.-D. Söling

733 **Membrane and secretory proteins are transported from the Golgi complex to the sinusoidal plasmalemma of hepatocytes by distinct vesicular carriers.**
L. Saucan and G. E. Palade

743 **Retinoic acid disrupts the Golgi apparatus and increases the cytosolic routing of specific protein toxins.**
Y. Wu, M. Gadina, J.-H. Tao-Cheng, and R. J. Youle

755 **Differential protein import deficiencies in human peroxisome assembly disorders.**
A. Motley, E. Hettema, B. Distel, and H. Tabak

769 **Internalization and sorting of a fluorescent analogue of glucosylceramide to the Golgi apparatus of human skin fibroblasts: Utilization of endocytic and nonendocytic transport mechanisms.**
O. C. Martin and R. E. Pagano

783 **The kinetic aspects of intracellular fluorescence labeling with TMA-DPH support the maturation model for endocytosis in L929 cells.**
D. Illinger and J.-G. Kuhry

795 **Large-scale co-aggregation of fluorescent lipid probes with cell surface proteins.**
J. L. Thomas, D. Holowka, B. Baird, and W. W. Webb

803 **Biogenesis and transmembrane topology of the CHIP28 water channel at the endoplasmic reticulum.**
W. R. Skach, L. Shi, M. C. Calayag, A. Frigeri, V. R. Lingappa, and A. S. Verkman

817 **The biologically active form of the sea urchin egg receptor for sperm is a disulfide-bonded homo-multimer.**
K. Ohlendieck, J. S. Partin, and W. J. Lennarz

825 **Immunofluorescence localization of the unconventional myosin, Myo2p, and the putative kinesin-related protein, Smy1p, to the same regions of polarized growth in *Saccharomyces cerevisiae*.**
S. H. Lillie and S. S. Brown

843 **Direct interaction between yeast spindle pole body components: Kar1p is required for Cdc31p localization to the spindle pole body.**
S. Biggins and M. D. Rose

853 **Nuf2, a spindle pole body–associated protein required for nuclear division in yeast.**
M. A. Osborne, G. Schlenstedt, T. Jinks, and P. A. Silver

867 **Sperm–egg recognition in the mouse: Characterization of sp56, a sperm protein having specific affinity for ZP3.**
A. Cheng, T. Le, M. Palacios, L. H. Bookbinder, P. M. Wassarman, F. Suzuki, and J. D. Bleil

879 **Selective interactions among the multiple connexin proteins expressed in the vertebrate lens: The second extracellular domain is a determinant of compatibility between connexins.**
T. W. White, R. Bruzzone, S. Wolfram, D. L. Paul, and D. A. Goodenough

893 **Role of muscle insulin-like growth factors in nerve sprouting: Suppression of terminal sprouting in paralyzed muscle by IGF-binding protein 4.**
P. Caroni, C. Schneider, M. C. Kiefer, and J. Zapf

903 **Association of the transmembrane TGF-$\alpha$ precursor with a protein kinase complex.**
L. Shum, S. A. Reeves, A. C. Kuo, E. S. Fromer, and R. Derynck

917 **PDGF-BB modulates endothelial proliferation and angiogenesis in vitro via PDGF $\beta$-receptors.**
E. J. Battegay, J. Rupp, L. Iruela-Arispe, E. H. Sage, and M. Pech

929 **SPARC is a source of copper-binding peptides that stimulate angiogenesis.**
T. F. Lane, M. L. Iruela-Arispe, R. S. Johnson, and E. H. Sage

945 **Dynamic adhesion of CD8-positive cells to antibody-coated surfaces: The initial step is independent of microfilaments and intracellular domains of cell binding molecules.**
A. Pierres, O. Tissot, B. Malissen, and P. Bongrand

---

## *Volume 125, Number 5, June 1994*

955 ***NUP145* encodes a novel yeast glycine–leucine–phenylalanine–glycine (GLFG) nucleoporin required for nuclear envelope structure.**
S. R. Wente and G. Blobel

971 **Nuclear transport of U1 snRNP in somatic cells: Differences in signal requirement compared with *Xenopus laevis* oocytes.**
U. Fischer, J. Heinrich, K. van Zee, E. Fanning, and R. Lührmann

981 **Analysis of the intracellular localization and assembly of Ro ribonucleoprotein particles by microinjection into *Xenopus laevis* oocytes.**
F. H. M. Simons, G. J. M. Pruijn, and W. J. van Venrooij

989 **A novel cochaperonin that modulates the ATPase activity of cytoplasmic chaperonin.**
Y. Gao, R. Melki, P. D. Walden, S. A. Lewis, C. Ampe, H. Rommelaere, J. Vandekerckhove, and N. J. Cowan

997 **A peripheral protein associated with the *cis*-Golgi network redistributes in the intermediate compartment upon brefeldin A treatment.**
R. M. Rios, A.-M. Tassin, C. Celati, C. Antony, M.-C. Boissier, J.-C. Homberg, and M. Bornens

1015 **Tetanus toxin-mediated cleavage of cellubrevin impairs exocytosis of transferrin receptor-containing vesicles in CHO cells.**
T. Galli, T. Chilcote, O. Mundigl, T. Binz, H. Niemann, and P. De Camilli

1025 **Basolateral protein transport in streptolysin O–permeabilized MDCK cells.**
S. W. Pimplikar, E. Ikonen, and K. Simons

1037 **Involvement of 70-kD heat-shock proteins in peroxisomal import.**
P. A. Walton, M. Wendland, S. Subramani, R. A. Rachubinski, and W. J. Welch

1047 **Yolk platelets in Xenopus oocytes maintain an acidic internal pH which may be essential for sodium accumulation.**
F. Fagotto and F. R. Maxfield

1057 **Rapid capping in α-Spectrin–deficient MEL cells from mice afflicted with hereditary hemolytic anemia.**
S. C. Dahl, R. W. Geib, M. T. Fox, M. Edidin, and D. Branton

1067 **Interactions of tensin with actin and identification of its three distinct actin-binding domains.**
S. Hao Lo, P. A. Janmey, J. H. Hartwig, and L. Bo Chen

1077 **Growth site localization in Rho1 small GTP-binding protein and its involvement in bud formation in *Saccharomyces cerevisiae*.**
W. Yamochi, K. Tanaka, H. Nonaka, A. Maeda, T. Musha, and Y. Takai

1095 **KIF3A is a new microtubule-based anterograde motor in the nerve axon.**
S. Kondo, R. Sato-Yoshitake, Y. Noda, H. Aizawa, T. Nakata, Y. Matsuura, and N. Hirokawa

1109 **Mutations in the "dynein regulatory complex" alter the ATP-insensitive binding sites for inner arm dyneins in *Chlamydomonas* axonemes.**
G. Piperno, K. Mead, M. LeDizet, and A. Moscatelli

1119 **On the localization of voltage-sensitive calcium channels in the flagella of *Chlamydomonas reinhardtii*.**
C. Beck and R. Uhl

1127 **Visualization of calcium transients controlling orientation of ciliary beat.**
S. L. Tamm and M. Terasaki

1137 **Transformation by *myc* fusion but not biochemical differentiation of C2C12 myoblasts: Mechanisms of phenotypic correction in mixed culture with normal cells.**
M. Crescenzi, D. H. Crouch, and F. Tatò

1147 **Evidence for an interplay between cell cycle progression and the initiation of differentiation between life cycle forms of African trypanosomes.**
K. R. Matthews and K. Gull

1157 **A hyaluronidase activity of the sperm plasma membrane protein PH-20 enables sperm to penetrate the cumulus cell layer surrounding the egg.**
Y. Lin, K. Mahan, W. F. Lathrop, D. G. Myles, and P. Primakoff

1165 **The induction of 72-kD gelatinase in T cells upon adhesion to endothelial cells is VCAM-1 dependent.**
A. M. Romanic and J. A Madri

1179 **Mapping the heparin-binding sites on type I collagen monomers and fibrils.**
J. D. San Antonio, A. D. Lander, M. J. Karnovsky, and H. S. Slayter

---

## *Volume 125, Number 6, June 1994*

1191 **Homologous pairing is reduced but not abolished in asynaptic mutants of yeast.**
J. Loidl, F. Klein, and H. Scherthan

1201 **Dynamic properties of nuclear lamins: Lamin B is associated with sites of DNA replication.**
R. D. Moir, M. Montag-Lowy, and R. D. Goldman

1213 **Disruptions in Golgi structure and membrane traffic in a conditional lethal mammalian cell mutant are corrected by ε-COP.**
Q. Guo, E. Vasile, and M. Krieger

1225 **Transport and intracellular distribution of MHC class II molecules and associated invariant chain in normal and antigen-processing mutant cell lines.**
J. M. Riberdy, R. R. Avva, H. J. Geuze, and P. Cresswell

1239 **A glycolipid-anchored prion protein is endocytosed via clathrin-coated pits.**
S.-L. Shyng, J. E. Heuser, and D. A. Harris

1251 **Compartmentalized structure of the plasma membrane for receptor movements as revealed by a nanometer-level motion analysis.**
Y. Sako and A. Kusumi

1265 **In migrating fibroblasts recycling receptors are concentrated in narrow tubules in the pericentriolar area, and then routed to the plasma membrane of the leading lamella.**
C. R. Hopkins, A. Gibson, M. Shipman, D. K. Strickland, and I. S. Trowbridge

1275 **Primary mouse myoblast purification, characterization, and transplantation for cell-mediated gene therapy.**
T. A. Rando and H. M. Blau

1289 **The *Schizosaccharomyces pombe cdc3+* gene encodes a profilin essential for cytokinesis.**
M. K. Balasubramanian, B. R. Hirani, J. D. Burke, and K. L. Gould

1303 **Cyclin-like accumulation and loss of the putative kinetochore motor CENP-E results from coupling continuous synthesis with specific degradation at the end of mitosis.**
K. D. Brown, R. M. R. Coulson, T. J. Yen, and D. W. Cleveland

1313 **A new kinesin-like protein (Klp1) localized to a single microtubule of the *Chlamydomonas* flagellum.**
M. Bernstein, P. L. Beech, S. G. Katz, and J. L. Rosenbaum

1327 **Dynamics of cadherin/catenin complex formation: Novel protein interactions and pathways of complex assembly.**
L. Hinck, I. S. Näthke, J. Papkoff, and W. J. Nelson

1341 **Defining interactions and distributions of cadherin and catenin complexes in polarized epithelial cells.**
I. S. Näthke, L. Hinck, J. R. Swedlow, J. Papkoff, and W. J. Nelson

1353 **Liver-intestine cadherin: Molecular cloning and characterization of a novel $Ca^{2+}$-dependent cell adhesion molecule expressed in liver and intestine.**
D. Berndorff, R. Gessner, B. Kreft, N. Schnoy, A.-M. Lajous-Petter, N. Loch, W. Reutter, M. Hortsch, and R. Tauber

1371 **Perturbation of cell adhesion and microvilli formation by antisense oligonucleotides to ERM family members.**
K. Takeuchi, N. Sato, H. Kasahara, N. Funayama, A. Nagafuchi, S. Yonemura, S. Tsukita, and S. Tsukita

1385 **Sense and antisense modification of glial αB-crystallin production results in alterations of stress fiber formation and thermoresistance.**
T. Iwaki, A. Iwaki, J. Tateishi, and J. E. Goldman

1395 **Structural requirements for adhesion of soluble recombinant murine vascular cell adhesion molecule-1 to $\alpha4\beta1$.**
M. E. Renz, H. H. Chiu, S. Jones, J. Fox, K. J. Kim, L. G. Presta, and S. Fong

1407 **CR3 (Mac-1, $\alpha_M\beta_2$, CD11b/CD18) and FcγRIII cooperate in generation of a neutrophil respiratory burst: Requirement for FcγRII and tyrosine phosphorylation.**
M. Zhou and E. J. Brown

1417 **Monocyte rolling, arrest and spreading on IL-4-activated vascular endothelium under flow is mediated via sequential action of L-selectin, $\beta_1$-integrins, and $\beta_2$-integrins.**
F. W. Luscinskas, G. S. Kansas, H. Ding, P. Pizcueta, B. E. Schleiffenbaum, T. F. Tedder, and M. A. Gimbrone, Jr.

1429 **ADDITIONS AND CORRECTIONS**

1431 **AUTHOR INDEX FOR VOLUME 125**

1439 **SUBJECT INDEX FOR VOLUME 125**